

FLOW OF WATER IN PIPES

BY

HIRAM F. MILLS

WITH HISTORICAL AND PERSONAL NOTE BY JOHN R. FREEMAN AND INTRODUCTORY
OUTLINE BY KARL R. KENNISON

TABLE OF CONTENTS

	Page
HISTORICAL AND PERSONAL NOTE. BY JOHN R. FREEMAN	61
INTRODUCTORY OUTLINE. BY KARL R. KENNISON	67
<hr style="width: 20%; margin: 0 auto;"/>	
SOME PRELIMINARY CONSIDERATIONS	81
DEFINITION OF TERMS	82
I. ANALYSIS OF EXPERIMENTS, PARTICULARLY WITH SMOOTH BRASS PIPES OVER A WIDE RANGE OF CONDITIONS, TO DETERMINE THE GENERAL RELATION BETWEEN LOSS OF HEAD, VELOCITY AND SIZE OF PIPE, APPLICABLE TO ALL PIPE MATERIALS AS WELL AS BRASS.	82
DETERMINATION OF RELATION OF FORCES—LOW VELOCITY	82
EFFECT OF TEMPERATURE	84
DETERMINATION OF VELOCITY LIMIT ABOVE WHICH THE LOW VELOCITY RELATION DOES NOT HOLD	84
DETERMINATION OF LAWS GOVERNING CHANGE FROM LOW TO HIGH VELOCITY	84
EFFECT OF TEMPERATURE	90
EFFECT OF ENTRANCE CONDITIONS	92
EFFECT OF DIAMETER	93
DETERMINATION OF RELATION OF FORCES—HIGH VELOCITY	94
SUMMARY OF GENERAL FORMULAS FOR SMALL SMOOTH BRASS PIPES AT 70° FAHR.	96
TABULATION OF EXPERIMENTS ON BRASS PIPES SMALLER THAN 2 INCHES IN DIAMETER	98-106
SLIGHTLY GREATER ROUGHNESS IN THE CASE OF THE LARGER DIAMETERS OF BRASS PIPES	106
TABULATION OF EXPERIMENTS ON BRASS PIPES OVER 2 INCHES IN DIAM.	108-109
SUMMARY OF GENERAL FORMULAS FOR BRASS PIPES OVER 2 INCHES IN DIAMETER AT 70° FAHR.	110
II. PIPES SET UP STRAIGHT FOR EXPERIMENTATION. CORROBORATION OF THE LAWS OF FLOW, ESTABLISHED OVER A WIDE RANGE OF CONDITIONS WITH BRASS PIPES, BY EXPERIMENTS WITH WROUGHT IRON PIPES AND PIPES OF VARIOUS MATERIALS AND DETERMINATION OF COEFFICIENTS FOR THESE MATERIALS	110
NEW WROUGHT IRON PIPES	110
DETERMINATION OF RELATION OF FORCES AT THE HIGHER VELOCITIES—IN WROUGHT IRON PIPE	111
DETERMINATION OF RELATION OF FORCES AT VERY LOW VELOCITIES—IN WROUGHT IRON PIPE	112

	Page
DETERMINATION OF LAWS GOVERNING CHANGE FROM LOW TO HIGH VELOCITY—IN WROUGHT IRON PIPE	112
SUMMARY OF GENERAL FORMULAS FOR NEW SMALL WROUGHT IRON PIPES AT 70° FAHR.	114
TABULATION OF EXPERIMENTS ON WROUGHT IRON PIPES SMALLER THAN 4 INCHES IN DIAMETER	114-118
OTHER DATA ON WROUGHT IRON PIPES NOT COMPARABLE WITH THOSE ON THE MARKET TODAY	118
SLIGHTLY GREATER ROUGHNESS IN THE CASE OF LARGER WROUGHT IRON PIPES .	125
SUMMARY OF GENERAL FORMULAS FOR WROUGHT IRON PIPES OVER 4 INCHES IN DIAMETER AT 70° FAHR.	125
TABULATION OF EXPERIMENTS ON WROUGHT IRON PIPES OVER 4 INCHES IN DIAMETER.	126-127
TABLE OF LOSS OF HEAD IN NEW WROUGHT IRON PIPES	127
RUSTY WROUGHT IRON PIPES	127
OLD RUSTY AND TUBERCULATED WROUGHT IRON PIPES	130
WROUGHT IRON PIPE COATED WITH ASPHALT	131
GALVANIZED IRON PIPES	132
SUMMARY OF GENERAL FORMULAS FOR GALVANIZED IRON PIPE AT 40° FAHR. .	135
SHEET IRON PIPE COATED WITH BITUMEN	135
SUMMARY OF GENERAL FORMULAS FOR SHEET IRON PIPE COATED WITH BITUMEN.	138
TIN PIPES	138
SUMMARY OF GENERAL FORMULAS FOR TIN PIPES	140
TIN LINED WROUGHT IRON PIPES	141
GLASS PIPES	141
SUMMARY OF GENERAL FORMULAS FOR GLASS PIPES AT 60° TO 65° FAHR. .	143
LEAD PIPES	143
SUMMARY OF GENERAL FORMULAS FOR LEAD PIPES AT 55° FAHR.	146
LEAD PIPES LONG IN USE	147
TAR COATED CAST IRON PIPE	147
VELOCITY LIMIT OF CONSTANT VALUE OF COEFFICIENTS OF V AND V^2 —IN TAR COATED CAST IRON PIPE	155
SUMMARY OF GENERAL FORMULAS FOR NEW TAR COATED CAST IRON PIPE AT ABOUT 60° FAHR.	158
NEW CAST IRON PIPES (UNCOATED)	158
SUMMARY OF GENERAL FORMULAS FOR NEW CAST IRON PIPES (UNCOATED). .	161
OLD CAST IRON PIPE WITH CALCAREOUS DEPOSITS.	161

	PAGE
SUMMARY OF GENERAL FORMULAS FOR OLD CAST IRON PIPE WITH DEPOSITS	163
OLD CAST IRON PIPES WITH DEPOSITS REMOVED	163
SUMMARY OF GENERAL FORMULAS FOR OLD CAST IRON PIPES CLEANED	164
WOOD PIPE, BORED	165
SUMMARY OF RESULTS OF EXPERIMENTS UPON PIPES OF VARIOUS MATERIALS SET UP STRAIGHT FOR EXPERIMENTATION	165
III. FLOW IN CAST IRON PIPES UNDER ACTUAL SERVICE CONDITIONS	167
EFFECT OF AGE IN UNCOATED CAST IRON PIPE NEAR HAMBURG	167
EFFECT OF AGE IN UNCOATED CAST IRON PIPE WITH SOFT WATERS OF EASTERN UNITED STATES	169
TABLE OF LOSS OF HEAD IN UNCOATED CAST IRON PIPE	172
EFFECT OF AGE IN UNCOATED CAST IRON PIPE NEAR EDINBURGH	172
TAR COATED CAST IRON PIPES	173
LOSS OF HEAD WHEN NEWLY LAID	174
THE EFFECTS OF AGE	177
SUMMARY OF RESULTS AND CONCLUSIONS WITH TAR COATED CAST IRON PIPE	189
TABLE OF LOSS OF HEAD IN TAR COATED CAST IRON PIPE	190
UNUSUAL CASES OF RESISTANCE TO FLOW IN TAR COATED CAST IRON PIPE	190
IV. FLOW IN PLATE IRON AND STEEL TAR COATED PIPES UNDER ACTUAL SERVICE CONDITIONS	192
CALIFORNIA SIPHONS—HIGH VELOCITY.	192
SHORT STRAIGHT PENSTOCKS	194
SUMMARY OF RESULTS WITH SHORT STRAIGHT TAR COATED PENSTOCKS	203
LONG PLATE IRON AND STEEL CONDUITS	203
SUMMARY OF LOSS OF HEAD IN LONG CONDUITS WHEN NEWLY LAID	220
SUMMARY OF THE EFFECTS OF AGE	221
TABLE OF LOSS OF HEAD IN TAR COATED RIVETED STEEL CONDUITS	223
ABNORMALLY LOW RESISTANCE IN PIPE MANUFACTURED AND COATED WITH UN- USUAL CARE	223
V. FLOW IN WOODEN CONDUITS	225
LONG WOOD-STAVE PIPE LINES IN ACTUAL SERVICE	225
RECTANGULAR WOODEN PENSTOCKS	231
EFFECT OF AGE IN RECTANGULAR WOODEN PENSTOCKS IN ACTUAL SERVICE	233
CONCLUSIONS IN REGARD TO WOODEN CONDUITS	236
TABLE OF LOSS OF HEAD IN WOODEN CONDUITS	236

DIAGRAMS

	PAGE
TYPICAL VARIATION IN THE VELOCITY OF FLOW OF WATER IN A PIPE; ILLUSTRATED BY PITOT TUBE EXPERIMENTS BY MILLS IN A 12-INCH PIPE	69, 85
RELATION BETWEEN VELOCITY AND HYDRAULIC GRADE AT LOW VELOCITIES IN SMOOTH BRASS PIPES AT ABOUT 70° FAHR.	71
GRAPHICAL REPRESENTATION OF GENERAL FORMULAS BASED ON THE LAW OF FLOW IN PIPES AS DEDUCED BY MILLS EXPERIMENTS BY SAPHI AND SCHODER ON 1/10-INCH BRASS PIPE AT 70° FAHR.	73, 97
EXPERIMENTS BY MILLS ON 12-INCH TAR COATED CAST IRON PIPE AT 52° FAHR.	76, 156
GRAPHICAL COMPARISON BETWEEN THE FORMULAS OF MILLS AND OTHERS COMPARISON BETWEEN FORMULAS OF MILLS AND HAZEN AND WILLIAMS, USING WROUGHT IRON PIPE	78
COMPARISON BETWEEN MILLS AND KUTTER FORMULAS, USING CAST IRON PIPE	79

TABLES FOR CONVENIENT USE

	PAGE
LOSS OF HEAD IN NEW <i>Wrought Iron Pipes</i>	127
LOSS OF HEAD IN UNCOATED CAST IRON PIPES	172
LOSS OF HEAD IN TAR COATED <i>Cast Iron Pipes</i>	190
LOSS OF HEAD IN TAR COATED RIVETED <i>Steel Conduits</i>	223
LOSS OF HEAD IN <i>Wooden Conduits</i>	236

EXPERIMENTS BY HIRAM F. MILLS AND BY JOHN R. FREEMAN

which have never been published heretofore.

By HIRAM F. MILLS:	PAGE
½-inch experimental BRASS PIPE	102
CAST IRON PIPE	
12-inch experimental main of Essex Company, Lawrence, Mass.	150-153
12-inch main in the streets of Lowell, Mass.	170, 182, 183
24-inch main in the streets of Lowell, Mass.	176, 178, 179
STEEL PENSTOCKS at Lawrence, Mass.	
Pacific Mills Penstocks Nos. 2 and 3, 7 ft. diam.	195, 197, 198
Munroe Penstock No. 2, 6.5 ft. diam.	198, 199
Pemberton Mills Penstock, 11 ft. diam.	200
Wright Penstock, 3.5 ft. diam.	201
Munroe Penstock No. 1, 4.9 ft. diam.	202
Rectangular WOODEN PENSTOCKS at Lawrence, Mass.	
Essex Co. Experimental Penstock, 5.8 ft. high by 3.5 ft. wide	232, 233
Twin Penstocks of Everett Mills, each 9.8 ft. high by 6.1 ft. wide	234
Twin Penstocks of Pemberton Mills, each 7.8 ft. high by 5.6 ft. wide	234
Twin Penstocks of Lawrence Duck Co., each 6.0 ft. high by 5.9 ft. wide	235
By JOHN R. FREEMAN, at Nashua, N. H.:	
2, 3, and 4-inch seamless drawn new BRASS PIPE	108-109
¼-inch to 8-inch new welded WROUGHT IRON PIPE	114-118, 121, 126
2, 3, and 4-inch old Wrought Iron Pipe removed from mills in Nashua	128, 129, 131
4 and 8-inch new tar coated CAST IRON PIPE	153, 154